

LOADING PLATFORM SJP

Rev 01 Effective 2026-09-01 CURRENT VERSION Completed in field

This deck. This floor. This serial. Empty. Critical lift.

WORKER INFORMATION

WORKER NAME

-

EMPLOYEE ID

-

POSITION

-

SUPERVISOR

-

PROJECT INFORMATION

PROJECT

-

CLIENT

-

SITE

-

ADDRESS

-

DATE

-

TIME

-

TASK

TASK DESCRIPTION

-

WORK ACTIVITY

-

CRANE

CRANE MANUFACTURER

-

MODEL

-

UNIT NUMBER

-

CAPACITY

-

CONFIGURATION

-

BOOM LENGTH

-

RADIUS

-

LOAD CHART REFERENCE

-

LOAD

LOAD DESCRIPTION

-

LOAD WEIGHT

-

DIMENSIONS

-

CENTRE OF GRAVITY

-

PICK POINTS

-

RIGGING

SLING TYPE

-

SLING SIZE

-

WLL

-

QUANTITY

-

HITCH

-

SLING ANGLE

-

SHACKLES

-

HOOKS

-

HARDWARE

-

INSPECTION STATUS

-

COMMUNICATION

METHOD

-

COMMUNICATION TEST

-

CHANNEL / STOP WORD

-

WEATHER

WIND

-

RAIN

-

SNOW

-

VISIBILITY

-

TEMPERATURE

-

WEATHER RESTRICTIONS

-

INSPECTION

INSPECTED BY

-

TIME

-

ITEM	PASS	FAIL	N/A	COMMENTS
------	------	------	-----	----------

OEM user information for this serial is at the lift

Type plate / WLL read - service load is not the fly weight

Dead weight empty plus rigging known (14.36)

Fixed or retractable - said. Retractable daily extend is host

Four designated pick points - no improvised picks

4-leg chain as the OEM - Doka 3.20 m, <= 30 deg if that is

Deck empty - no people, no material

Host will release props / clamps before hoist

Tag lines named

Fall protection at the slab edge (Part 11)

Exclusion below (14.44)

Wind at or below the lower of crane, manufacturer, this SJP

Radios tested

Do not disconnect until the host says landed

Pre-lift meeting immediately before this lift

HAZARD

HAZARD

-

POTENTIAL CONSEQUENCE

-

RISK LEVEL

-

CONTROL

CONTROL MEASURE

-

RESPONSIBLE PERSON

-

RESIDUAL RISK

-

EMERGENCY

EMERGENCY CONTACT

-

FIRST AID

-

EMERGENCY ACCESS

-

MUSTER POINT

-

RESCUE PROCEDURE

-

COMMENTS

COMMENTS

-

SIGNATURE

PRINTED NAME

-

ROLE

-

DATE

-

PRINTED NAME

-

DATE

-

SIGNATURE

PRINTED NAME

-

ROLE

-

DATE

-

PRINTED NAME

-

DATE

-